

Malmö  V5 64 001-127	Malmö  V5 64 001-137	Malmö  V5 64 001-187	Malmö  V5 64 001-227	Malmö  V5 64 001-237	Malmö  V5 64 001-247	Malmö  V5 64 001-257	Malmö  V5 64 001-267	Malmö  V5 64 001-277	Special 1  V5 64 001-000
3	4	9	13	14	15	16	17	18	X-tra etikett
Malmö  V5 64 001-287	Malmö  V5 64 001-297	Malmö  V5 64 001-397	Malmö  V5 64 001-307	Malmö  V5 64 001-317	Malmö  V5 64 001-327	Malmö  V5 64 001-347	Malmö  V5 64 001-657	Malmö  V5 64 001-687	Special 1  V5 64 001-000
19	20	21	22	23	24	25	27	28	X-tra etikett

Fri text (Gäller endast för analyser märkta med #)

Märk röret med etikett som har samma nummer som finns i beställningsrutan på framsidan.

Vid akutbeställning

1. Markera i rutan på framsidan
2. Märk röret med AKUT-etikett.

AKUT

AKUT

AKUT

Malmö  V5 64 001-697	Malmö  V5 64 001-737	Malmö  V5 64 001-777	Lund  V5 64 001-217	Lund  V5 64 001-207	Lund  V5 64 001-337	Lund  V5 64 001-347	Lund  V5 64 001-227	Lund  V5 64 001-267	Lund  V5 64 001-277
29	63	64	12	31	32	33	34	35	36
Lund  V5 64 001-297	Lund  V5 64 001-397	Lund  V5 64 001-647	Lund  V5 64 001-677	Lund  V5 64 001-747	Lund  V5 64 001-367	Lund  V5 64 001-377	Lund  V5 64 001-757	Lund  V5 64 001-767	Helsingborg  V5 64 001-477
37	38	39	40	41	51	52	54	55	53